


Design: Fruzsina Fulop

Year: 2017



ELEMENTS

KCS-XL






KCS-M



KCS-S



SAMPLE COMBINATIONS



Design: Fruzsina Fulop
Year: 2017

INFO


Material:	high performance concrete (HPC)
Standard colour:	white
Finish:	natural cast
Treatment:	impregnated
Lifting:	with lifting straps
Placement:	on load-bearing, ready-to-use walking surface
Fixing:	no fixing needed
Cleaning:	with neutral detergent



MEASUREMENTS

0 500 mm

KCS-XL
1080 kg



INSTALLATION

The product may be lifted with lifting straps.
For further information see Installation Guide.

MAINTENANCE

The product may be cleaned with neutral detergent.
For further information see Maintenance Guide.

Design: Fruzsina Fulop

Year: 2017

INFO

Material:	high performance concrete (HPC)
Standard colour:	white
Finish:	natural cast
Treatment:	impregnated
Lifting:	with lifting straps
Placement:	on load-bearing, ready-to-use walking surface
Fixing:	no fixing needed
Cleaning:	with neutral detergent




MEASUREMENTS

0 500 mm

KCS-M

750 kg



INSTALLATION

The product may be lifted with lifting straps.
For further information see Installation Guide.

MAINTENANCE

The product may be cleaned with neutral detergent.
For further information see Maintenance Guide.

Design: Fruzsina Fulop
Year: 2017

INFO


Material:	high performance concrete (HPC)
Standard colour:	white
Finish:	natural cast
Treatment:	impregnated
Lifting:	with lifting straps
Placement:	on load-bearing, ready-to-use walking surface
Fixing:	no fixing needed
Cleaning:	with neutral detergent



MEASUREMENTS

0 500 mm

KCS-S
650 kg



INSTALLATION

The product may be lifted with lifting straps.
For further information see Installation Guide.

MAINTENANCE

The product may be cleaned with neutral detergent.
For further information see Maintenance Guide.