



Design: Peter Istvan Varga, Mark Nagy-Mihaly

Year: 2020




ELEMENTS


UFO-2




UFO-1



UFO-S



SAMPLE COMBINATIONS



Design: Peter Istvan Varga, Mark Nagy-Mihaly
Year: 2020

INFO



Material:	high performance concrete (HPC)
Standard colour:	white
Finish:	natural cast
Treatment:	impregnated
Lifting:	with lifting straps
Placement:	on load-bearing, ready-to-use walking surface
Fixing:	no fixing needed
Water draining:	Ø32x200 PVC pipe ensuring 100 mm buffer
Cleaning:	with neutral detergent



MEASUREMENTS

0 ——— 500 mm

UFO-2
1955 kg
2000 l



INSTALLATION

Before filling with soil, the product may be lifted with lifting straps.

For further information see Installation Guide.

MAINTENANCE

The product may be cleaned with neutral detergent.

For further information see Maintenance Guide.

Design: Peter Istvan Varga, Mark Nagy-Mihaly
 Year: 2020

INFO



Material:	high performance concrete (HPC)
Standard colour:	white
Finish:	natural cast
Treatment:	impregnated
Lifting:	with lifting straps
Placement:	on load-bearing, ready-to-use walking surface
Fixing:	no fixing needed
Water draining:	Ø32x200 PVC pipe ensuring 100 mm buffer
Cleaning:	with neutral detergent




MEASUREMENTS

0 ——— 500 mm

UFO-1
 1210 kg
 1000 l



UFO-S
 2000 kg
 500 l



INSTALLATION

Before filling with soil, the product may be lifted with lifting straps.

For further information see Installation Guide.

MAINTENANCE

The product may be cleaned with neutral detergent.
 For further information see Maintenance Guide.